API Well No: 43013504130000 Received: 7/29/2010

		DEPARTMENT	ATE OF UTAH OF NATURAL RES F OIL, GAS AND I				FORI			
APPLI	CATION FOR	PERMIT TO DRILL	-			1. WELL NAME and NUMBER Ute Tribal 12-7-4-2W				
2. TYPE OF WORK  DRILL NEW WELL	REENTER P&A	A WELL DEEPE	N WELL			3. FIELD OR WILDO	AT UNDESIGNATED			
4. TYPE OF WELL Oil We		5. UNIT or COMMU	NITIZATION AGRE	MENT NAME						
6. NAME OF OPERATOR	WFIELD PRODUC	TION COMPANY				7. OPERATOR PHO	<b>NE</b> 435 646-4825			
8. ADDRESS OF OPERATOR		9. OPERATOR E-MA	IL rozier@newfield.com							
10. MINERAL LEASE NUMBER (FEDERAL, INDIAN, OR STATE)	t 3 Box 3630 , My	11. MINERAL OWNE				12. SURFACE OWN	RSHIP			
20G0005609  13. NAME OF SURFACE OWNER (if box 12	- 'faa'\	FEDERAL IND	IAN 📵 STATE (	_) FEE(	_	FEDERAL INI	DIAN ( ) STATE (	7 FEE (III)		
·	Ken and Nar	ncy Moon					·	•		
15. ADDRESS OF SURFACE OWNER (if box	( <b>12 = 'fee')</b> 64 Box 102, Ducl	hesne, UT 84021				16. SURFACE OWN	ER E-MAIL (if box 1	.2 = 'fee')		
17. INDIAN ALLOTTEE OR TRIBE NAME (if box 12 = 'INDIAN')		18. INTEND TO COM MULTIPLE FORMATI		TION FROM		19. SLANT				
,		YES (Submit C	commingling Applicat	ion) NO 🗓	)	VERTICAL DIF	ECTIONAL 📗 H	ORIZONTAL 🔵		
20. LOCATION OF WELL	FOO	OTAGES	QTR-QTR	SECTI	ON	TOWNSHIP	RANGE	MERIDIAN		
LOCATION AT SURFACE	2093 FS	SL 918 FWL	NWSW	7		4.0 S	2.0 W	U		
Top of Uppermost Producing Zone	2093 FS	SL 918 FWL	NWSW	7		4.0 S	2.0 W	U		
At Total Depth	2093 FS	SL 918 FWL	NWSW	7		4.0 S	2.0 W	U		
21. COUNTY  DUCHESNE		22. DISTANCE TO N	EAREST LEASE LIN 918	IE (Feet)		23. NUMBER OF AC	RES IN DRILLING	JNIT		
		25. DISTANCE TO N (Applied For Drilling		SAME POOL		<b>26. PROPOSED DEPTH</b> MD: 7670 TVD: 7670				
27. ELEVATION - GROUND LEVEL		28. BOND NUMBER		29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICA						
5394			RLB0010462				437478			
		A	TTACHMENTS							
VERIFY THE FOLLOWING	ARE ATTACHE	ED IN ACCORDAN	CE WITH THE U	TAH OIL A	AND G	GAS CONSERVATI	ON GENERAL RU	ILES		
WELL PLAT OR MAP PREPARED BY	LICENSED SUR	VEYOR OR ENGINEER	COM	IPLETE DRI	LLING	PLAN				
AFFIDAVIT OF STATUS OF SURFACE	OWNER AGREE	EMENT (IF FEE SURF	ACE) FORI	M 5. IF OPE	RATO	R IS OTHER THAN T	HE LEASE OWNER			
DIRECTIONAL SURVEY PLAN (IF DI	RECTIONALLY	OR HORIZONTALLY	TOP6	OGRAPHICA	AL MAF	•				
NAME Mandie Crozier		TITLE Regulatory	Tech		PHON	NE 435 646-4825				
SIGNATURE		<b>DATE</b> 07/29/2010			EMAI	<b>L</b> mcrozier@newfield.	com			
API NUMBER ASSIGNED 43013504130000		APPROVAL			B	2000				
I		1				4 -3				

API Well No: 43013504130000 Received: 7/29/2010

	Proposed Hole, Casing, and Cement										
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)							
Prod	7.875	5.5	0	7670							
Pipe	Grade	Length	Weight								
	Grade J-55 LT&C	7670	15.5								

API Well No: 43013504130000 Received: 7/29/2010

	Proposed Hole, Casing, and Cement										
String	Hole Size	Casing Size	Top (MD)	Bottom (MD)							
Surf	12.25	8.625	0	300							
Pipe	Grade	Length	Weight								
	Grade J-55 ST&C	300	24.0			Γ					
					Τ	Г					

#### NEWFIELD EXPLORATION COMPANY T4S, R2W, U.S.B.&M. S89'54'E - 79.70 (G.L.O.) N88°53'52"E - 2507.12' (Meas.) WELL LOCATION, 12-7-4-2W, LOCATED N88°21'46"E - 2767.29' (Meas.) AS SHOWN IN THE NW 1/4 SW 1/4 Set Stone Aluminun (LOT 3) OF SECTION 7, T4S, R2W, Brass Сар U.S.B.&M. DUCHESNE COUNTY, UTAH. Lot 1 2649.12" Ô 3.00.25,38,E WELL LOCATION: BAR SCALE (C.L.O.) 12-7-4-2W Lot 2 ELEV. UNGRADED GROUND = 5394.6' (G.L.O.) 80.04 Aluminum Aluminum N00.02'E See Lot 3 Detail At Right 918 2649.80' 2660. THIS IS TO CERTIFY THATOP PREPARED FROM FIELD OF ACTION OF ACTION OF ACTION OF ACTION OF MY KNOWLEDGE OF BUNG. 18937 Proposed DRILLING WINDOW NOO:39'04"W 90,23,005 D e t a i lLot 4 No Scale Aluminum Set Stone Сар Set Stone N88'40'39"E (Basis of Bearings) N89°39'15"E - 2615.42' (Meas.) S89'58'E - 79.94 (G.L.O.) 2670.13' (Measured) TRI STATE LAND SURVEYING & CONSULTING 180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 = SECTION CORNERS LOCATED (435) 781-250112-7-4-2W DATE SURVEYED: SURVEYED BY: D.G. BASIS OF ELEV; Elevations are base on (Surface Location) NAD 83 06-19-10 LOCATION: an N.G.S. OPUS Correction. $LATITUDE = 40^{\circ} 08' 52.34''$ DATE DRAWN: DRAWN BY: M.W. LAT. 40°04'09.56" LONG. 110°00'43.28" 07-12-10 LONGITUDE = 110° 09' 30.04" **REVISED:** (Tristate Aluminum Cap) Elev. 5281.57' SCALE: 1" = 1000'

12-7-4-2

# MEMORANDUM of EASEMENT, RIGHT-OF-WAY and SURFACE USE AGREEMENT

This Easement, Right-of-Way and Surface Use Agreement ("Agreement") is entered into this 17th day of March, 2010 by and between **Ken and Nancy Moon, whose address is HC 64 box 102, Duchesne, Utah 84021,** ("Surface Owner," whether one or more) and Newfield Production Company, a Texas corporation ("NEWFIELD"), with offices at 1001 Seventeenth Street, Suite 2000, Denver, Colorado 80202, covering certain lands, (the "Lands") situated in Duchesne County, Utah described as follows:

Township 4 South, Range 3 West Section 15: E/2 Section 22: E/2 Township 4 South, Range 2 West Section 7: S½N½; S½

Duchesne County, Utah

For and in consideration of the sum of ten dollars (\$10.00), and other valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the undersigned hereby agree to the terms and provisions set forth as follows:

## 1. Compensation for Well; Release of All Claims

NEWFIELD shall pay to Surface Owner the sum as set forth in and according to the terms of that certain Letter Agreement for Easement, Right-of Way and Surface Use by and between Surface Owner and NEWFIELD, dated March 17, 2010 as full payment and satisfaction for any and all detriment, depreciation, injury or damage of any nature to the Lands or growing crops thereon that may occur as a result of NEWFIELD's drilling or completion operations or its continuing activities for the production or transportation of oil, gas, or other hydrocarbons or products associated with the foregoing including, but not limited to, surface use, access, pipelines, gathering lines, pipeline interconnections, and any and all other reasonable or customary uses of land related to said operations or activities.

## 2. Grant of Right of Way and Easement

Surface Owner hereby grants, bargains, leases, assigns, and conveys to NEWFIELD an easement and right-of-way for the purpose of construction, using and maintaining access roads, locations for surface equipment and subsurface gathering lines for each well drilled upon the Lands, pipelines, and pipeline interconnections for two years from date of this agreement and so long thereafter as NEWFIELD's oil and gas leases remain in effect.

This Agreement shall be binding upon the respective heirs, executors, administrators, successors, and assigns of the undersigned.

These Parties hereto have executed this document effective as of the day first above written.

KEN AND NANCY MOON	NEWFIELD PRODUCTION COMPANY
By: Moon, private surface owner  By: Nancy Moon, private surface owner	By:  Dan Shewmake,  Vice President-Development
STATE OF UTAH ) ss  COUNTY OF	e this <u>24th</u> day of <u>March</u> , 2010 by Ken and
Witness my hand and official seal.	
My commission expires 4/8/2013	Notary Public
STATE OF COLORADO ) (SS) (COUNTY OF Denver )	
This instrument was acknowledged before m  Dan Shewmake, Vice President-Development a To	ne this, 2010 by exas corporation, on behalf of the corporation.
Witness my hand and official seal.	
	Notary Public
My commission expires	

## NEWFIELD PRODUCTION COMPANY UTE TRIBAL 12-7-4-2W NW/SW (LOT #3) SECTION 7, T4S, R2W DUCHESNE COUNTY, UTAH

## TEN POINT DRILLING PROGRAM

## 1. GEOLOGIC SURFACE FORMATION:

Uinta formation of Upper Eocene Age

## 2. <u>ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS</u>:

 Uinta
 0' - 2,225'

 Green River
 2,225'

 Wasatch
 7,395'

 Proposed TD
 7,670'

## 3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation (Oil) 2,225' – 7,395'

Fresh water may be encountered in the Uinta Formation, but would not be expected below about 350'. All water shows and water bearing geologic units shall be reported to the geologic and engineering staff of the Vernal Office prior to running the next string of casing or before plugging orders are requested. All water shows must be reported within one (1) business day after being encountered.

All usable (<10,000 PPM TDS) water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. This information shall be reported to the Vernal Office.

Detected water flows shall be sampled, analyzed, and reported to the geologic & engineering staff of the Vernal Office. The office may request additional water samples for further analysis. Usage of the State of Utah form *Report of Water Encountered* is acceptable, but not required.

The following information is requested for water shows and samples where applicable:

Location & Sampled Interval Date Sampled Flow Rate Temperature

Hardness pH

Water Classification (State of Utah)

Dissolved Iron (Fe) (ug/l)

Dissolved Magnesium (Mg) (mg/l)

Dissolved Bicarbonate (NaHCO<sub>3</sub>) (mg/l)

Dissolved Sulfate (SO<sub>4</sub>) (mg/l)

Dissolved Total Solids (TDS) (mg/l)

Ten Point Well Program & Thirteen Point Well Program Page 2 of 4

#### 4. PROPOSED CASING PROGRAM

a. Casing Design: Ute Tribal 12-7-4-2W

Size	Interval		Weight	Grade	Coupling	Design Factors			
Size	Тор	Bottom	vveigni	Orado	Couping	Burst	Collapse	Tension	
Surface casing	01	300'	24.0	J-55	STC	2,950	1,370	244,000	
8-5/8"	0'				310	17.53	14.35	33.89	
Prod casing	0.5	7.070	de e	1.55	1.70	4,810	4,040	217,000	
5-1/2"	05	7,670'	,670' 15.5 J-55 LTC		1.97	1.66	1.83		

## Assumptions:

- 1) Surface casing max anticipated surface press (MASP) = Frac gradient gas gradient
- 2) Prod casing MASP (production mode) = Pore pressure gas gradient
- 3) All collapse calculations assume fully evacuated casing w/ gas gradient
- 4) All tension calculations assume air weight

Frac gradient at surface casing shoe = 13.0 ppg
Pore pressure at surface casing shoe = 8.33 ppg
Pore pressure at prod casing shoe = 8.33 ppg
Gas gradient = 0.115 psi/ft

All casing shall be new or, if used, inspected and tested. Used casing shall meet or exceed API standards for new casing.

All casing strings shall have a minimum of 1 (one) centralizer on each of the bottom three (3) joints.

b. Cementing Design: Ute Tribal 12-7-4-2W

Job	Fill	Description	Sacks	OH Excess*	Weight (ppg)	Yield (ft³/sk)	
	1.73		ft <sup>3</sup>	LACESS	(PP9)	(IL /3K)	
Surface casing	300'	Class G w/ 2% CaCl	138	30%	15.8	1,17	
Surface casing	300	Class G W/ 270 CaCl	161	30 %	15.0	1.17	
Prod casing	5,670'	Prem Lite II w/ 10% gel + 3%	392	30%	11.0	3.26	
Lead	3,670	KCI	1277	30 %	11.0	3.20	
Prod casing	2.000'	50/50 Poz w/ 2% gel + 3%	363	30%	14.3	1.24	
Tail	2,000	KCI	451	30 /6	14.5	15.24	

<sup>\*</sup>Actual volume pumped will be 15% over the caliper log

- Compressive strength of lead cement: 1800 psi @ 24 hours, 2250 psi @ 72 hours
- Compressive strength of tail cement: 2500 psi @ 24 hours

Hole Sizes: A 12-1/4" hole will be drilled for the 8-5/8" surface casing. A 7-7/8" hole will be drilled for the 5-1/2" production casing.

The 8-5/8" surface casing shall in all cases be cemented back to surface. In the event that during the primary surface cementing operation the cement does not circulate to surface, or if the cement level should fall back more than 8 feet from surface, then a remedial surface cementing operation shall be performed to insure adequate isolation and stabilization of the surface casing.

## 5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

Ten Point Well Program & Thirteen Point Well Program Page 3 of 4

The operator's minimum specifications for pressure control equipment are as follows:

An 8" Double Ram Hydraulic unit with a closing unit will be utilized. Function test of BOP's will be check daily.

Refer to Exhibit C for a diagram of BOP equipment that will be used on this well.

## 6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

From surface to ±350 feet will be drilled with an air/mist system. The air rig is equipped with a 6 ½" blooie line that is straight run and securely anchored. The blooie line is used with a discharge less than 100 ft from the wellbore in order to minimize the well pad size. The blooie line is not equipped with an automatic igniter or continuous pilot light and the compressor is located less than 100 ft from the well bore due to the low possibility of combustion with the air dust mixture. The trailer mounted compressor (capacity of 2000 CFM) has a safety shut-off valve which is located 15 feet from the air rig. A truck with 70 bbls of water is on stand by to be used as kill fluid, if necessary. From about ±350 feet to TD, a fresh water system will be utilized. Clay inhibition and hole stability will be achieved with a KCl substitute additive. This additive will be identified in the APD and reviewed to determine if the reserve pit shall be lined. This fresh water system will typically contain Total Dissolved Solids (TDS) of less than 3000 PPM. Anticipated mud weight is 8.4 lbs/gal. If necessary to control formation fluids or pressure, the system will be weighted with the addition of bentonite gel, and if pressure conditions warrant, with barite

No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh aquifers.

No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completing of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completing of this well.

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

Newfield Production will **visually** monitor pit levels and flow from the well during drilling operations.

#### 7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Auxiliary safety equipment will be a Kelly Cock, bit float, and a TIW valve with drill pipe threads.

## 8. TESTING, LOGGING AND CORING PROGRAMS:

The logging program will consist of a Dual Induction, Gamma Ray and Caliper log from TD to base of surface casing @ 300' +/-, and a Compensated Neutron-Formation Density Log from TD to 3500' +-. A cement bond log will be run from PBTD to cement top. No drill stem testing or coring is planned for this well.

## 9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered or is known to exist from previous drilling in the area at this depth. Maximum anticipated


'APIWellNo:43013504130000'


Ten Point Well Program & Thirteen Point Well Program Page 4 of 4


bottomhole pressure will approximately equal total depth in feet multiplied by a 0.433 psi/foot gradient.

## 10. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:


It is anticipated that the drilling operations will commence the fourth quarter of 2010, and take approximately seven (7) days from spud to rig release.







	,	2		,			3	,	,	•	3		,	ž	1:	6		:4	,	2	,	Newfield Wells	
	10	300	12	,		9:	10	264.5	17	r	1.65	(0.1)	10	"	12		0	:#:	10	æ	12	Stribce Sped Drilling Walling on Co Producing Oil	mpletten
	15 T/1	\$-R3\	M "	16	17	10	15	14	13	16	17	18	(5.7 A/G #8	34	13	.15	10	148	es R (F	14	13	Producing Ga Violer Injection Dry Flota Temporarily A	ReW o
	22	23	20	"	20	21	22	20	24 db ,2544 s	., d.	3. 20 3. 20 3. 4. 3.	,, d	3. 3. <sup>22</sup>	2 d,	211 1854	19	20	21	72	22	24	Flagged & Ab Shut in Whiter Source Whiter Dispos	Well of Well
	27	26	В	30	A 79	21 7	n Handaya	44 44	. s. c. s. s.	All the Property of the Proper	46 46 4	1.72	3,4		A September	20 A	p	ž	n	36	77	Injection Statis	ons
	34	J.	8	100	20	* 11	" ± 2 &		14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200 A						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-IR 1 9 E	7 4 2	-	<del>[]</del> 56	2 "	33
	,	8S-12	ж & 15Е-	31 Carl			444							14 3 7			4 4 4 4	A A A A A A A A A A A A A A A A A A A	Control of the	3 6 2 2 2	T.	2.2. t	55-
	10 200		126	7.2		473	4 4 4 4	1				47.	21.2 3 (2) 3 (2)			1	4 4 4	2 d 2	2 A 6 A 3 A 3 A	2 3 3 2 2 3	Lest	Certella 3	
,	1	74.2	77.		****	3 3 4 4	272		2,4	752				2 2 2 2	4444	3335	2 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	8 A 6 S	.a.	11 12	ů,	t t	
Party.		4.2	123	Alenh		224a 22 24 2	1		4 4 4 4		<b>77</b>				A A A A	ಮಿ ಮ ಮ ಮ	*	1. 1.	15	14 13 25,	3,	··· Maccien	14
4	4	626	444	2, 3, 4 2, 3, 3, 3, 3, 10 10, 12,2,	to almost a de	3. 3. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	to the state of	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3. 4. 3. 2. 3. 4. 3. 3. 3. 4. 3. 5.	280 280 181 als 183 281 1844 440 141		2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	(4) Ali (5) 10 Ali Ali (6) Ali Ali (6) Ali Ali (6)	33. 25. 23.	3. 3. 3. 3. 3. 3. 3. 3. 4. 3. 3. 4. 4. 3. 4.	all artiste all artiste all as all	hoeth Joseph	TOSER at	2	0.5	din .	19 30	oli: n
1	35 S.			95-R1	SE TS	S-R16	E5, 3	# t	mleg S 3.	20 A A A	29	28	27	() <sup>2</sup>	25	30 25	20 a	sin .	27	26		<b>3</b> 5	20
		25	38	31	32	23	24	25	м	31	32	33	34	35	25	21	22	33	н	.00	<u> </u>	31 32	33
	-1301 1	70		06.1			,	.2.	,		,		,	2	,			4	3			NEWFIE	AINS
_	TH	<del>3:3-R1</del>	5 <del>2</del>	-		THES	RIPE					T PRODUCTION OF THE PERSON OF	10	1	"	,		FERSTA	10		12	Exhibit A	



## NEWFIELD PRODUCTION COMPANY UTE TRIBAL 12-7-4-2W NW/SW (LOT #3) SECTION 7, T4S, R2W DUCHESNE COUNTY, UTAH

## ONSHORE ORDER NO. 1

## **MULTI-POINT SURFACE USE & OPERATIONS PLAN**

## 1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Ute Tribal 12-7-4-2W located in the NW 1/4 SW 1/4 Section 7, T4S, R2W, Duchesne County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.4 miles  $\pm$  to the junction of this highway and UT State Hwy 53; proceed in a southwesterly direction approximately 4.0 miles to it's junction with an existing road to the west; proceed in a westerly direction approximately 0.8 miles to it's junction with an existing road to the northwest; proceed in a northwesterly direction approximately 0.6 miles to it's junction with an existing road to the southwest; proceed southwesterly approximately 0.7 miles to it's junction with the beginning of the proposed access road; proceed along the proposed access road approximately 213' to the proposed well location.

The aforementioned dirt oil field service roads and other roads in the vicinity are constructed out of existing native materials that are prevalent to the existing area they are located in and range from clays to a sandy-clay shale material.

The roads for access during the drilling, completion and production phase will be maintained at the standards required by the State of Utah, or other controlling agencies. This maintenance will consist of some minor grader work for smoothing road surfaces and for snow removal. Any necessary fill material for repair will be purchase and hauled from private sources.

## 2. PLANNED ACCESS ROAD

Approximately 213' of access road is proposed for the proposed well. See attached **Topographic Map "B"**.

The proposed access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%.

There will be **no** culverts required along this access road. There will be barrow ditches and turnouts as needed along this road.

There are no fences encountered along this proposed road. There will be no new gates or cattle guards required.

All construction material for this access road will be borrowed material accumulated during construction of the access road.

## 3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

## 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

There are no existing facilities that will be used by this well.

It is anticipated that this well will be a producing oil well.

Upon construction of a tank battery, the well pad will be surrounded by a dike of sufficient capacity to contain at minimum 110% of the largest tank volume within the facility battery.

Tank batteries will be built to State specifications.

All permanent (on site for six (6) months or longer) structures, constructed or installed (including pumping units), will be painted a flat, non-reflective, earth tone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within six months of installation.

## 5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck from nearest water source as determined by a Newfield representative for the purpose of drilling the above mentioned well. The available water sources are as follows:

Johnson Water District Water Right: 43-7478

Maurice Harvey Pond Water Right: 47-1358

Neil Moon Pond

Water Right: 43-11787

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

There will be no water well drilled at this site.

## 6. SOURCE OF CONSTRUCTION MATERIALS

All construction material for this location shall be borrowed material accumulated during construction of the location site and access road.

A mineral material application is not required for this location.

## 7. METHODS FOR HANDLING WASTE DISPOSAL

A small reserve pit (90' x 40' x 8' deep, or less) will be constructed from native soil and clay materials. The reserve pit will receive the processed drill cutting (wet sand, shale & rock) removed from the wellbore. Any drilling fluids, which do accumulate in the pit as a result of shale-shaker carryover, cleaning of the sand trap, etc., will be promptly reclaimed. All drilling fluids will be fresh water based, typically containing Total Dissolved Solids of less than 3000 PPM. No potassium chloride, chromates, trash, debris, nor any other substance deemed hazardous will be placed in this pit. Therefore, it is proposed that no synthetic liner be required in the reserve pit. However, if upon constructing the pit there is insufficient fine clay and silt present, a liner will be used for the purpose of reducing water loss through percolation.

Newfield requests approval that a flare pit not be constructed or utilized on this location.

A portable toilet will be provided for human waste.

A trash basket will be provided for garbage (trash) and hauled away to an approved disposal site at the completion of the drilling activities.

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E), State of Utah approved surface disposal facilities, or Federally approved surface disposal facilities.

## 8. ANCILLARY FACILITIES

There are no ancillary facilities planned for at the present time and none foreseen in the near future.

## 9. WELL SITE LAYOUT

See attached Location Layout Sheet.

## **Fencing Requirements**

All pits will be fenced according to the following minimum standards:

- a) A 39-inch net wire shall be used with at least one strand of barbed wire on top of the net.
- b) The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least forty-two (42) inches.
- c) Corner posts shall be centered and/or braced in such a manner to keep tight at all times
- d) Standard steel, wood or pipe posts shall be used between the corner braces. Maximum distance between any two posts shall be no greater than sixteen (16) feet.
- e) All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

The reserve pit fencing will be on three (3) sides during drilling operations and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

Existing fences to be crossed by the access road will be braced and tied off before cutting so as to prevent slacking in the wire. The opening shall be closed temporarily as necessary during construction to prevent the escape of livestock, and upon completion of construction the fence shall be repaired to BLM specifications.

## 10. PLANS FOR RESTORATION OF SURFACE:

## a) Producing Location

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, material, trash and junk not required for production.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximated natural contours. Weather permitting, the reserve pit will be reclaimed within one hundred twenty (120) days from the date of well completion. Before any dirt work takes place, the reserve pit must have all fluids and hydrocarbons removed.

## b) Dry Hole Abandoned Location

At such time as the well is plugged and abandoned, the operator shall submit a subsequent report of abandonment and the State of Utah will attach the appropriate surface rehabilitation conditions of approval.

SURFACE OWNERSHIP – Ken and Nancy Moon.
 See attached Memorandum of Surface Use Agreement and Easement ROW...

## 12. OTHER ADDITIONAL INFORMATION

Newfield Production Company requests 213' of planned access road to be granted. **Refer to Topographic Map "B".** Newfield Production Company requests 1,486' of surface gas line to be granted. Newfield Production Company requests 1,513' of buried water line to be granted.

It is proposed that the disturbed area will be 60' wide to allow for construction of the proposed access road, a 10" or smaller gas gathering line, a 4" poly fuel gas line, a buried 3" steel water injection line and a buried 3" poly water return line. The planned access road will consist of a 18' permanent running surface (9' either side of the centerline) crowned and ditched in order to handle any run-off from any precipitation events that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be turnouts as needed along this road to allow for increases in potential traffic issues. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Both the proposed surface gas and buried water lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** The proposed water pipelines will be buried in a 4-5' deep trench constructed with a trencher or backhoe for the length of the proposal. The equipment will run on the surface and not be flat bladed to minimize surface impacts to precious topsoil in these High Desert environments. If possible, all proposed surface gas pipelines will be installed on the same side of the road as existing gas lines. The construction phase of the planned access road, proposed gas lines and proposed water lines will last approximately (5) days.

In the event that the proposed well is converted to a water injection well, a Sundry Notice 3160-5 form will be applied for through the Bureau of Land Management field office.

- a) Newfield Production Company is responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, Newfield is to immediately stop work that might further disturb such materials and contact the Authorized Officer.
- b) Newfield Production will control noxious weeds along rights-of-way for roads, pipelines, well sites or other applicable facilities. On State administered land it is required that a Pesticide Use Proposal shall be submitted and given approval prior to the application of herbicides or other possible hazardous chemicals.
- c) Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on State Lands after the conclusion of drilling operations or at any other time without State authorization. However, if State authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities.

The Archaeological and Paleontological Report Waiver is attached.

#### **Additional Surface Stipulations**

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws and regulations, Onshore Oil and Gas Orders, the approved plan of operations and any applicable Notice to Lessees. A copy of these conditions will be furnished to the field representative to ensure compliance.

#### Hazardous Material Declaration

Newfield Production Company guarantees that during the drilling and completion of the Ute Tribal 12-7-4-2W, Newfield will not use, produce, store, transport or dispose 10,000# annually of any of the hazardous chemicals contained in the Environmental Protection Agency's consolidated list of chemicals subject to reporting under Title III Superfund Amendments and Reauthorization Act (SARA) of 1986. Newfield also guarantees that during the drilling and completion of the Ute Tribal 12-7-4-2W, Newfield will use, produce, store, transport or dispose less than the threshold planning quantity (T.P.Q.) of any extremely hazardous substances as defined in 40 CFR 355.

A complete copy of the approved APD, if applicable, shall be on location during the construction of the location and drilling activities.

Newfield Production Company or a contractor employed by Newfield Production shall contact the State office at (801) 722-3417, 48 hours prior to construction activities.

The State office as well as the Ute Tribe Energy and Mineral Department shall be notified upon site completion prior to moving on the drilling rig.

#### LESSEE'S OR OPERATOR'S REPRENSENTATIVE AND CERTIFICATION: 13.

#### Representative

Name:

Tim Eaton

Address:

**Newfield Production Company** 

Route 3, Box 3630

Myton, UT 84052

Telephone:

(435) 646-3721

Please be advised that Newfield Production Company is considered to be the operator of well #12-7-4-2W, NW/SW Section 7, T4S, R2W, Duchesne County, Utah and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage for this well is covered by the Bureau of Indian Affairs Bond #RLB0010462.

I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true and correct to the best of my knowledge; and that the work associated with the operations proposed here will be performed by Newfield Production Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.

7/29/10


Date

Regulatory Specialist


Newfield Production Company

## 2-M SYSTEM

Blowout Prevention Equipment Systems



**EXHIBIT C** 



Myton, Utah 84052 (435) 646-4825, FAX: (435) 646-3031

July 29, 2010

State of Utah
Division of Oil, Gas & Mining
Attn: Diana Mason
1594 West North Temple - Suite 1210
P.O. Box 145801
Salt Lake City, Utah 84114-5801

RE: Application for Permit to Drill Ute Tribal 12-7-4-2W


## Dear Diana:

The above mentioned location is an **Exception Location**. Our Land Department will send you the required exception location letter. If you have any questions, feel free to give either Tim Eaton or myself a call.

Sincerely,

Mandie Crozier

Regulatory Specialist





January 12, 2011

State of Utah, Division of Oil, Gas & Mining ATTN: Diana Mason PO Box 145801 Salt Lake City, UT 84114-5801

RE:

Exception Location
Ute Tribal 12-7-4-2W
T4S R2W, Section 7: NWSW
2093'FSL 918' FWL
Duschesne County, Utah

Dear Ms. Mason;

Pursuant to Rule 649-3-3 of the Oil & Gas Rules and Regulations of the State of Utah, Newfield Production Company ("NPC") hereby requests an exception location for the drilling of the captioned well. The proposed drillsite for this well is located 46' east of the drilling window required by Rule R649-3-2, which requires a well to be located in the center of a forty (40) acre quarter-quarter section, or a substantially equivalent lot or tract, with a tolerance of two hundred (200) feet in any direction from the center.

The attached plat depicts the proposed location and illustrates the deviation from the drilling window. The requested location has been chosen at the request of the surface owner.

Please note the drillsite and all surrounding acreage within a four hundred sixty (460') foot radius is owned by NPC and the Ute Indian Tribe. You will find a copy of the Ute Indian Tribe's consent to this exception location attached to this letter.

If you have any questions or require further information, please do not hesitate to contact the undersigned at 303-383-4137 or by email at  $\underline{awild@newfield.com}$ . Your consideration of this matter is greatly appreciated.

Sincerely,

Alan D. Wild Land Associate

Attachment

Return to:

Newfield Production Company

ATTN: Alan Wild

1001 17th Street, Suite 2000

Denver, CO 80202

303-685-8098 fax

awild@newfield.com email

Re:

Exception Location

Ute Tribal 12-7-4-2W

T4S R2W, Section 7: NWSW

2093' FSL 918' FWL Duchesne County, Utah


Please be advised The Ute Indian Tribe does not have an objection to the proposed location of the aforementioned well.

Manuel Myore Director

Print Name and Title

Date: 1/5/20

Form 3160-3 (August 2007)		OMB No 1004-0137 Expires July 31, 2010						
UNITED STATE DEPARTMENT OF THE BUREAU OF LAND MA	INTERIOR			5. Lease Serial No. 20G0005609				
APPLICATION FOR PERMIT TO				6. If Indian, Allote UTE	or Tribe	Name		
Ia. Type of work:  DRILL  REEN	TER			7 If Unit or CA Agreement, Name and No.				
Ib. Type of Well:  Oil Well  Gas Well Other	<b>√</b> Si	ingle Zone Mult	iple Zone	<ol> <li>Lease Name and Ute Tribal 12-7-</li> </ol>				
2. Name of Operator Newfield Production Company				9, API Well No.				
3a. Address Route #3 Box 3630, Myton UT 84052		10. Field and Pool, or Undesignated	Explorate	ory				
Location of Well (Report location clearly and in accordance with     At surface NW/SW (LOT#3) 2093' FSL 918' FV     At proposed prod. zone		nents.*)		11, Sec., T. R. M. or Sec. 7, T4S R		urvey or Area		
14 Distance in miles and direction from nearest town or post office* Approximately 7.5 miles southwest of Myton, UT		12. County or P. Duchesne				13. State		
<ol> <li>Distance from proposed*     location to nearest     property or lease line, ft. Approx. 918' f/lse, NA' f/unit     (Also to nearest drig, unit line, if any)</li> </ol>	16. No. of N/	aeres in lease A	40 Acres					
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  Approx. 2180'	19. Propose 7,8	ad Depth		BLM/BIA Bond No. on file RLB0010462				
21 Elevations (Show whether DF, KDB, RT, GL, etc.) 5394' GL	22. Approx	imate date work will st	이) 이	23. Estimated dwate (7) days from SP		g release		
	24. Atta							
The following, completed in accordance with the requirements of Onsi  1. Well plat certified by a registered surveyor.  2. A Drilling Plan.  3. A Surface Use Plan (if the location is on National Forest Syste SUPO must be filed with the appropriate Forest Service Office).		4 Bond to cover Item 20 above 5. Operator certif	the operati	his form: ons unless covered by a formation and/or plans				
25. Signature		(Printed Typed) die Crozier			Date	ONPG'		
Title Regulatory Specialist								
Approved by (Signature)	Name	(Printed Typed)	-		Date			
Title	Office	e			-1			
Application approval does not warrant or certify that the applicant he conduct operations thereon.  Conditions of approval, if any, are attached.	olds legal or equ	sitable title to those rig	this in the su	bject lease which would	entitle the	e applicant to		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a States any false, fictitious or fraudulent statements or representations	crime for any as to any matter	person knowingly and within its jurisdiction.	willfully to	make to any department	or agenc	y of the United		
(Continued on page 2)				*(In:	struction	ns on page 2)		



## NEWFIELD EXPLORATION COMPANY

WELL LOCATION, 12-7-4-2W, LOCATED AS SHOWN IN THE NW 1/4 SW 1/4 (LOT 3) OF SECTION 7, T4S, R2W, U.S.B.&M. DUCHESNE COUNTY, UTAH.





## TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 06-19-10	SURVEYED BY: D.G.					
DATE DRAWN: 07-12-10	DRAWN BY: M.W.					
REVISED:	SCALE: 1" = 1000'					

## **ON-SITE PREDRILL EVALUATION**

## Utah Division of Oil, Gas and Mining

**Operator** NEWFIELD PRODUCTION COMPANY

Well Name Ute Tribal 12-7-4-2W

API Number 43013504130000 APD No 2847 Field/Unit UNDESIGNATED

**Location: 1/4,1/4** NWSW **Sec** 7 **Tw** 4.0S **Rng** 2.0W 2093 FSL 918 FWL **GPS Coord (UTM)** 571753 4444306 **Surface Owner** Ken and Nancy Moon

## **Participants**

Floyd Bartlett (DOGM), Tim Eaton (Newfield Permitting), Christina Cimiluca, Suzanne Grayson and Janna Simonsen (BLM), and Corie Miller (Tri-State Land Surveying).

## Regional/Local Setting & Topography

The proposed location is approximately 7.5 road miles southwest of Myton, UT in the South Myton Bench area. Drainages in the area run northerly toward the Duchesne River about 1 mile away but are intercepted by the Gray Mountain and Pleasant Valley Irrigation Canals. Broad flats and rolling hills with those near the edge of the bench becoming steep and intersected with draws, characterize the area. Access is by State, County and planned or existing oil field development roads. Approximately 213 feet of new construction across Moon's private land will be required to reach the location.

The proposed pad for the Ute Tribal 12-7-4-2 oil well is oriented in an east to west direction on a north facing slope of a drainage which begins at a hill to the south. This drainage extends to the north into a larger swale beyond the pad. The location is intersected near the northeast side by a moderate swale which will be filled. No fill should be placed in a swale to the north of the pad which drains to the northwest. The location is to the northeast of the normal drilling window to avoid a hill in the area. Maximum excavation is 4.6 feet at Pit Corner B and a 4.6 foot fill. No springs, streams or seeps are known to exist in the immediate area. The selected site appears to be a good location for constructing a pad, drilling and operating a well.

## **Surface Use Plan**

**Current Surface Use** 

Grazing

Wildlfe Habitat

New Road Well Pad Src Const Material Surface Formation

0.07 Width 204 Length 305 Onsite UNTA

**Ancillary Facilities** N

## Waste Management Plan Adequate?

## **Environmental Parameters**

Affected Floodplains and/or Wetlands N

## Flora / Fauna

A desert shrub type vegetation covers the area. Principal plants consist of globe mallow, Mormon tea, broom snakeweed, black sage, curly mesquite grass, prickly pear, greasewood, festuca, shadscale, halogeton, Sihy and spring annuals.

Cattle, deer, prairie dogs, small mammals and birds.

1/13/2011 Page 1

## **Soil Type and Characteristics**

Deep gravely sandy loam.

**Erosion Issues** N

**Sedimentation Issues** N

Site Stability Issues N

**Drainage Diverson Required?** N

Berm Required? Y

**Erosion Sedimentation Control Required?** N

Paleo Survey Run? Y Paleo Potental Observed? N Cultural Survey Run? Y Cultural Resources?

## **Reserve Pit**

Site-Specific Factors	Site Ra	ınking	
Distance to Groundwater (feet)	100 to 200	5	
Distance to Surface Water (feet)	>1000	0	
Dist. Nearest Municipal Well (ft)	>5280	0	
Distance to Other Wells (feet)	300 to 1320	10	
Native Soil Type	Mod permeability	10	
Fluid Type	Fresh Water	5	
Drill Cuttings	Normal Rock	0	
<b>Annual Precipitation (inches)</b>		0	
Affected Populations			
<b>Presence Nearby Utility Conduits</b>	Not Present	0	
	<b>Final Score</b>	30	1 Sensitivity Level

## **Characteristics / Requirements**

A reserve pit 40' x 80' x 8' deep will be located in an area of cut on the southeast side of the location. A pit liner is required. Newfield commonly uses a 16-mil liner.

Closed Loop Mud Required? N Liner Required? Y Liner Thickness 16 Pit Underlayment Required? Y

## **Other Observations / Comments**

Evaluator	Date / Time
Floyd Bartlett	11/15/2010

1/13/2011 Page 2

## **Application for Permit to Drill Statement of Basis**

1/13/2011 Utah Division of Oil, Gas and Mining

Page 1

APD No	API WellNo	Status	Well Type	<b>Surf Owner</b>	<b>CBM</b>
2847	43013504130000	LOCKED	OW	P	No
Operator	NEWFIELD PRODUCTION	COMPANY	Surface Owner-APD	Ken and Nanc	y Moon
Well Name	Ute Tribal 12-7-4-2W		Unit		
Field	UNDESIGNATED		Type of Work	DRILL	

**Location** NWSW 7 4S 2W U 2093 FSL 918 FWL GPS Coord (UTM) 571745E 4444301N

**Geologic Statement of Basis** 

The mineral rights for the proposed well are owned by the Ute Tribe. The BLM will be the agency responsible for evaluating and approving the drilling, casing and cement programs.

Brad Hill 11/18/2010 **APD Evaluator Date / Time** 

## **Surface Statement of Basis**

The proposed location is approximately 7.5 road miles southwest of Myton, UT in the South Myton Bench area. Drainages in the area run northerly toward the Duchesne River about 1 mile away but are intercepted by the Gray Mountain and Pleasant Valley Irrigation Canals. Broad flats and rolling hills with those near the edge of the bench becoming steep and intersected with draws, characterize the area. Access is by State, County and planned or existing oil field development roads. Approximately 213 feet of new construction across Moon's private land will be required to reach the location.

The proposed pad for the Ute Tribal 12-7-4-2 oil well is oriented in an east to west direction on a north facing slope of a drainage which begins at a hill to the south. This drainage extends to the north into a larger swale beyond the pad. The location is intersected near the northeast side by a moderate swale which will be filled. No fill should be placed in a swale to the north of the pad which drains to the northwest. The location is to the northeast of the normal drilling window to avoid a hill in the area. Maximum excavation is 4.6 feet at Pit Corner B and a 4.6 foot fill. No springs, streams or seeps are known to exist in the immediate area. The selected site appears to be a good location for constructing a pad, drilling and operating a well.

Mr. Kenneth Moon and his wife Nancy own the surface of the location. Mr. Moon was contacted by telephone and invited him to the pre-site visit. He said he would not attend. A signed landowner agreement exists. The minerals are owned by the United States Government and held in trust for the Ute Indian Tribe. Ms. Christina Cimuluca, Ms. Suzanne Grayson and Ms. Janna Simonsen of the BLM all attended the preside visit. They had no concerns regarding the selected area. A signed landowner agreement exists.

Floyd Bartlett 11/15/2010
Onsite Evaluator Date / Time

## Conditions of Approval / Application for Permit to Drill

**Category** Condition

Pits A synthetic liner with a minimum thickness of 16 mils with a felt subliner shall be properly installed and maintained in the

reserve pit.

Surface The well site shall be bermed to prevent fluids from leaving the pad.

Surface The reserve pit shall be fenced upon completion of drilling operations.

## WORKSHEET APPLICATION FOR PERMIT TO DRILL

**APD RECEIVED:** 7/29/2010 **API NO. ASSIGNED:** 43013504130000 WELL NAME: Ute Tribal 12-7-4-2W **OPERATOR: NEWFIELD PRODUCTION COMPANY (N2695) PHONE NUMBER:** 435 646-4825 **CONTACT:** Mandie Crozier PROPOSED LOCATION: NWSW 07 040S 020W **Permit Tech Review: SURFACE: 2093 FSL 0918 FWL Engineering Review: BOTTOM:** 2093 FSL 0918 FWL Geology Review: **COUNTY: DUCHESNE LATITUDE:** 40.14788 **LONGITUDE:** -110.15771 UTM SURF EASTINGS: 571745.00 NORTHINGS: 4444301.00 FIELD NAME: UNDESIGNATED LEASE TYPE: 2 - Indian **LEASE NUMBER: 20G0005609** PROPOSED PRODUCING FORMATION(S): GREEN RIVER SURFACE OWNER: 4 - Fee **COALBED METHANE: NO RECEIVED AND/OR REVIEWED: LOCATION AND SITING: PLAT** R649-2-3. Bond: INDIAN - RLB0010462 Unit: Potash R649-3-2. General Oil Shale 190-5 Oil Shale 190-3 R649-3-3. Exception **Drilling Unit** Oil Shale 190-13 Board Cause No: R649-3-3 Water Permit: 437478 **Effective Date: RDCC Review:** Siting: **Fee Surface Agreement** R649-3-11. Directional Drill **Intent to Commingle Commingling Approved** 

Comments: Presite Completed

Stipulations:

1 - Exception Location - bhill4 - Federal Approval - dmason5 - Statement of Basis - bhill23 - Spacing - dmason

API Well No: 43013504130000



Lieutenant Governor

## State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA Division Director

## Permit To Drill

\*\*\*\*\*\*

Well Name: Ute Tribal 12-7-4-2W **API Well Number:** 43013504130000 Lease Number: 2OG0005609 **Surface Owner:** FEE (PRIVATE)

**Approval Date:** 1/13/2011

## **Issued to:**

NEWFIELD PRODUCTION COMPANY, Rt 3 Box 3630, Myton, UT 84052

## **Authority:**

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of R649-3-3. The expected producing formation or pool is the GREEN RIVER Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

## **Duration:**

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

## **Exception Location:**

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

## General:

Compliance with the requirements of Utah Admin. R. 649-1 et seg., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

## **Conditions of Approval:**

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Compliance with the Conditions of Approval/Application for Permit to Drill outlined in the

API Well No: 43013504130000

Statement of Basis (copy attached).

## **Notification Requirements:**

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at https://oilgas.ogm.utah.gov

## **Reporting Requirements:**

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas Form 3160-3 (August 2007)

## UNITED STATES

FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010

5. Lease Serial No.

BUREAU OF LAND MANAGEMENT			2OG0005609	
APPLICATION FOR PERMIT TO DRILL OR REENTER			6. If Indian, Allotee or Tribe Name UTE	
la. Type of work: DRILL REENTER			7. If Unit or CA Agreement, Name and No. NA	
1b. Type of Well: ✓ Oil Well ☐ Gas Well ☐ Other ✓ Single Zone ☐ Multiple Zone		8. Lease Name and Well No. Ute Tribal 12-7-4-2W		
2. Name of Operator Newfield Production Company			9. API Well No. 43-013	-5NU12
3a. Address Route #3 Box 3630, Myton UT 84052	3b. Phone No. (include area code) (435) 646-3721		10. Field and Pool, or Exploratory Undesignated	
Location of Well (Report location clearly and in accordance with any State requirements.*)		11. Sec., T. R. M. or Blk. and Survey or Area		
At surface NW/SW (LOT #3) 2093' FSL 918' FW At proposed prod. zone	/L		Sec. 7, T4S R	2W
Distance in miles and direction from nearest town or post office*     Approximately 7.5 miles southwest of Myton, UT			12. County or Parish Duchesne	13. State UT
15. Distance from proposed* location to nearest	16. No. of acres in lease	17. Spacin	g Unit dedicated to this	well
property or lease line, ft. Approx. 918' f/lse, NA' f/unit (Also to nearest drig. unit line, if any)	NA		40 Acres	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.  Approx. 2180'	19. Proposed Depth 7,670'		BIA Bond No. on file RLB0010462	
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5394' GL	22. Approximate date work will start*		Estimated duration     (7) days from SPUD to rig release	
	24. Attachments			
The following, completed in accordance with the requirements of Onsho	ore Oil and Gas Order No.1, must be a	attached to th	is form:	
1. Well plat certified by a registered surveyor.  4. Bond to cover the operations unless covered by an existing bond on file Item 20 above).				
3. A Surface Use Plan (if the location is on National Forest System SUPO must be filed with the appropriate Forest Service Office).			ormation and/or plans a	s may be required by the
25. Signature	Name (Printed/Typed)			Date
Title Regulatory Specialist	Mandie Crozier			1)/29/10
Approved by (Signature)	Name James	H. S	parger	Date   AN 2 7 20
Acting Assistant Field Manager Lands & Mineral Resources			ELD OFFICE	
Application approval does not warrant or certify that the applicant hold conduct operations thereon. Conditions of approval, if any, are attached.	ds legal or equitable title to those right IONS OF APPROVAL A	nts in the sub	ject lease which would D	entitle the applicant to
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a c States any false, fictitious or fraudulent statements or representations as	rime for any person knowingly and to any matter within its jurisdiction.	willfully to m	ake to any department	or agency of the United
(Continued on page 2)	RECEIVE		*(Ins	ructions on page 2)
NOTIGE OF APPROVAL				
	AUG 2 , 2010			ELVIZULU

AFMSS#<u>10550437A</u>

FEB 0 1 2011

DIV. OF OIL, GAS & MINING

BLM VERNAL, UTAH





## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



## CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company:	Newfield Production Company	Location:	NWSW (Lot #3), Sec. 7, T4S, R2W
Well No:	Ute Tribal 12-7-4-2W	Lease No:	2OG0005609
API No:	43-013-50413	Agreement:	N/A

**OFFICE NUMBER:** 

(435) 781-4400

OFFICE FAX NUMBER: (4

(435) 781-3420

## A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

## NOTIFICATION REQUIREMENTS

Construction Activity (Notify Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist)

Construction Completion
(Notify Ute Tribe Energy & Minerals
Dept. and BLM Environmental
Scientist)

Spud Notice (Notify BLM Petroleum Engineer)

Casing String & Cementing (Notify BLM Supv. Petroleum Tech.)

BOP & Related Equipment Tests (Notify BLM Supv. Petroleum Tech.)

First Production Notice (Notify BLM Petroleum Engineer)

- The Ute Tribe Energy & Minerals Dept. and BLM Environmental Scientist shall be notified at least 48 hours in advance of any construction activity. The Ute Tribal office is open Monday through Thursday.
- Upon completion of the pertinent APD/ROW construction, notify the Ute Tribe Energy & Minerals Dept. for a Tribal Technician to verify the Affidavit of Completion. Notify the BLM Environmental Scientist prior to moving on the drilling rig.
- Twenty-Four (24) hours prior to spudding the well.
- Twenty-Four (24) hours prior to running casing and cementing all casing strings to: ut vn opreport@blm.gov.
- Twenty-Four (24) hours prior to initiating pressure tests.
- Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

## SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- The edge of the pad shall avoid the drainage.
- A synthetic liner with a minimum thickness of 16 mils with a felt subliner shall be installed and maintained in the reserve pit.
- Any deviation from submitted APD's and ROW applications the operator will notify the BLM in writing and will receive written authorization of any such change with appropriate authorization.
- All operator employees and/or authorized personnel (sub-contractors) in the field will have approved applicable APD's and ROW permits/authorizations on their person(s) during all phases of construction.
- All vehicular traffic, personnel movement, construction/restoration operations shall be confined to the area examined and approved, and to the existing roadways and/or evaluated access routes.
- All permanent surface equipment (meaning on site for six months or longer) will be painted Covert Green to match the surrounding landscape color unless otherwise authorized. This would include all facilities except those required to comply with Occupational Safety and Health Act (OSHA) regulations.
- Reclamation will be completed in accordance with the recontouring and reseeding procedures outlined in the Newfield Exploration Company Castle Peak and Eight Mile Flat Reclamation Plan on file with the Vernal Field Office of the BLM, unless otherwise specified by the private surface owner.

Page 3 of 6 Well: Ute Tribal 12-7-4-2W 1/25/2011

### DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

### SITE SPECIFIC DOWNHOLE COAs:

• The operator shall comply with all applicable requirements in the SOP (version: "Ute Tribe Green River Development Program", April 17, 2008). The operator shall also comply with applicable laws and regulations; with the lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

### DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
  daily drilling report. Components shall be operated and tested as required by Onshore Oil &
  Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
  performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
  reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
  is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
  Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of

Page 4 of 6 Well: Ute Tribal 12-7-4-2W 1/25/2011

each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
   Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum
   Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT\_VN\_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: Ute Tribal 12-7-4-2W 1/25/2011

#### **OPERATING REQUIREMENT REMINDERS:**

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
  notified when it is placed in a producing status. Such notification will be by written
  communication and must be received in this office by not later than the fifth business day
  following the date on which the well is placed on production. The notification shall provide, as a
  minimum, the following informational items:
  - o Operator name, address, and telephone number.
  - Well name and number.
  - Well location (¼¼, Sec., Twn, Rng, and P.M.).
  - Date well was placed in a producing status (date of first production for which royalty will be paid).
  - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
  - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
  - o Unit agreement and/or participating area name and number, if applicable.
  - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will
  be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be
  reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major
  Events" will be reported in writing within 15 days. "Minor Events" will be reported on the
  Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if

Page 6 of 6 Well: Ute Tribal 12-7-4-2W 1/25/2011

performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM. Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field
  Office Petroleum Engineers will be provided with a date and time for the initial meter calibration
  and all future meter proving schedules. A copy of the meter calibration reports shall be
  submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API
  standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All
  measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
  to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
  first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
  adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
  sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
  lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of
  a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval
  may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
  equipment shall be removed from a well to be placed in a suspended status without prior
  approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
  days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
  before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
  Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
  order that a representative may witness plugging operations. If a well is suspended or
  abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent
  Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual
  plugging of the well bore, showing location of plugs, amount of cement in each, and amount of
  casing left in hole, and the current status of the surface restoration.

Sundry Number: 21901 API Well Number: 43013504130000

			FORM 0	
STATE OF UTAH			FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 12-7-4-2W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013504130000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: UNDESIGNATED	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2093 FSL 0918 FWL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 07 Township: 04.0S Range: 02.0W Merio	lian: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE [	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
1/13/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN [	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion:			PLUG BACK	
	OPERATOR CHANGE	☐ PLUG AND ABANDON		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON	
_	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show al	pertinent details including dates, o	depths, volumes, etc.	
I .	to extend the Application for		Approved by the	
	for one year.		Utah Division of Oil, Gas and Mining	
			Date: January 12, 2012	
			By: Bally yell	
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE		
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE N/A		<b>DATE</b> 1/9/2012		

Sundry Number: 21901 API Well Number: 43013504130000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013504130000

API: 43013504130000 Well Name: UTE TRIBAL 12-7-4-2W

Location: 2093 FSL 0918 FWL QTR NWSW SEC 07 TWNP 040S RNG 020W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/13/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

owing to a disconnect of define home related to the approacher, which cheate be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes  No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of the proposed well? ( Yes ( No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? ( Yes ( No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
nature: Mandie Crozier Date: 1/9/2012

Sig

Sundry Number: 33705 API Well Number: 43013504130000

			FORM 9		
STATE OF UTAH			I SKIII S		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizor n for such proposals.		7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 12-7-4-2W		
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013504130000		
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT	, 84052 435 646-4825	PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2093 FSL 0918 FWL			COUNTY: DUCHESNE		
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 07 Township: 04.0S Range: 02.0W Meri	dian: U	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
1/13/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL		
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
I .	COMPLETED OPERATIONS. Clearly show a		TOTAL STATE OF THE		
Newfield propo	ses to extend the Application	n for Permit to Drill.	Approved by the Utah Division of		
			Oil, Gas and Mining		
			Date: January 10, 2013		
			Date: January 10, 2013		
			By: Dally		
NAME (PLEASE PRINT)	PHONE NUMBE	ER TITLE			
Mandie Crozier	435 646-4825	Regulatory Tech			
SIGNATURE N/A		<b>DATE</b> 1/8/2013			

Sundry Number: 33705 API Well Number: 43013504130000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

### Request for Permit Extension Validation Well Number 43013504130000

**API:** 43013504130000 **Well Name:** UTE TRIBAL 12-7-4-2W

Location: 2093 FSL 0918 FWL QTR NWSW SEC 07 TWNP 040S RNG 020W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/13/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?     Yes      No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?  Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?  Yes No
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Mandie Crozier Date: 1/8/2013

RECEIVED: Jan. 08, 2013

Form 3160-5 (August 2007)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

JAN 16 2013

RECEIVED

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter and abandoned well. Use form 3160-3 (APD) for such proposals				<b>A A</b>	1420H626404  6. If Indian, Allottee or Tribe Name  7. If Unit or CA/Agreement, Name and/or No. NA	
				.IVI [		
SUBMIT IN TRIPLICATE - Other instructions on reverse side.						
1. Type of Well					8. Well Name and No.	
Oil Well Gas Well O			·		UTE TRIBAL 12-	7-4-2W
Name of Operator     NEWFIELD PRODUCTION	Contact: E-Mail: mcrozier@	MANDIE H ( Inewfield.com	CROZIER		9. API Well No. 43-013-50413	
3a. Address ROUTE 3 BOX 3630 MYTON, UT 84052	3b. Phone No. (include area code) Ph: 435-646-4825			le)	10. Field and Pool, or UNDESIGNATE	Exploratory D
4. Location of Well (Footage, Sec., 1	T., R., M., or Survey Description	n)	<del></del>		11. County or Parish,	and State
Sec 7 T4S R2W Mer UBM N\	NSW 2093FSL 918FWL		·		DUCHESNE CO	
12. CHECK APP	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF	NOTICE, RE	PORT, OR OTHE	R DATA
TYPE OF SUBMISSION		<del></del>		OF ACTION	**************************************	
Notice of Intent     ■	☐ Acidize	☐ Deep	en .	☐ Productio	n (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	_	ure Treat	☐ Reclamat		☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair		Construction	Recomple		☐ Well Integrity  ☑ Other
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug	and Abandon	=	ily Abandon	Change to Original A
Describe Proposed or Completed Op     If the proposal is to deepen directions	☐ Convert to Injection	☐ Plug	Back	☐ Water Dis	sposal	PD
following completion of the involved testing has been completed. Final Al determined that the site is ready for f Newfield requests to extend the	inal inspection.)	ed only after all re	equirements, inclu	ding reclamation,	have been completed, a	L FIELD OFFICE
			0.000		ENG. R	FN 4/22/13
			MAY 09	2013	GEOL	The second secon
		-	Proportion	Sayeng.	E.S.	
	COND	TE SMOTTI		ATTACHED	PET.	
The many of the second of the				JECL.		
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #1	183594 vorified	by the DI SEVA			The state of the s
	FOR NEWFIE	-LU PRODIIAT	ION cont to the	o Vornal	=	
Name (Printed/Typed) MANDIE H CROZIER  Committed to AFMSS for processing by BOBBI SCHROEDER on 03/  Name (Printed/Typed) MANDIE H CROZIER  Title REGULATORY AN				••		
			THE REGUL	-ATORT ANAL	.131	
Signature (Electronic S	ubmission)		Date 01/15/2	2013		
	THIS SPACE FO	R FEDERAL	OR STATE	OFFICE USE		
Approved By A Konga			Title	Assistant Fie Lands & Mine		APR 2 2 2013
conditions of approval, if any ore attached ertify that the applicant holds legal or equ	Approval of this notice does i	not warrant or	1100		The second secon	Date
ertify that the applicant holds legal or equivalent to conduct would entitle the applicant to conduct	itable title to those rights in the ct operations thereon.	subject lease	Office VE	RNAL FIEL	D OFFICE	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



## **CONDITIONS OF APPROVAL**

# **Newfield Exploration Company**

### Notice of Intent APD Extension

Lease:

1420H626404

Well:

Ute Tribal 12-7-4-2W

Location:

NWSW Sec 7-T4S-R2W

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 01/27/2015.
- 2. No other extension shall be granted.

If you have any other questions concerning this matter, please contact Robin L Hansen of this office at (435) 781-2777

Sundry Number: 46682 API Well Number: 43013504130000

	FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 2OG0005609	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly do reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 12-7-4-2W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43013504130000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2093 FSL 0918 FWL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 07 Township: 04.0S Range: 02.0W Merid	ian: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
NOTICE OF INTENT Approximate date work will start:	☐ ACIDIZE ☐ CHANGE TO PREVIOUS PLANS ☐	ALTER CASING CHANGE TUBING	CASING REPAIR CHANGE WELL NAME	
1/13/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN L OPERATOR CHANGE	FRACTURE TREAT PLUG AND ABANDON	☐ NEW CONSTRUCTION ☐ PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION  TUBING REPAIR	SIDETRACK TO REPAIR WELL  VENT OR FLARE	L TEMPORARY ABANDON  WATER DISPOSAL	
DRILLING REPORT Report Date:	□ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Newfield proposes to extend the Application for Permit to Drill this well.  Approved by the Utah Division of Oil, Gas and Mining  Date: January 08, 2014  By:				
NAME (PLEASE PRINT)	PHONE NUMBE			
Mandie Crozier  SIGNATURE	435 646-4825	Regulatory Tech  DATE		
N/A		1/8/2014		

Sundry Number: 46682 API Well Number: 43013504130000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013504130000

**API:** 43013504130000 **Well Name:** UTE TRIBAL 12-7-4-2W

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY

Location: 2093 FSL 0918 FWL QTR NWSW SEC 07 TWNP 040S RNG 020W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/13/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

to disting to a shockhot of some foliated to the application, which should be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? 🔘 Yes 📵 No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 📵 Yes 🔘 No
Signature: Mandie Crozier Date: 1/8/2014

RECEIVED: Jan. 08, 2014

Sundry Number: 58693 API Well Number: 43013504130000

			FORM 9	
STATE OF UTAH			I OKW 3	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 12-7-4-2W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		<b>9. API NUMBER:</b> 43013504130000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		HONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2093 FSL 0918 FWL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 07 Township: 04.0S Range: 02.0W Merid	an: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
1/13/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEDEN	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion:		7		
	OPERATOR CHANGE	PLUG AND ABANDON	LI PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Bate.	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates.	depths, volumes, etc.	
l .	to extend the Application for F	-	CONT. MATERIAL DESCRIPTION OF THE PROPERTY OF	
			Date	
			Date:	
			By: Dally	
NAME (PLEASE PRINT)	PHONE NUMBER	R TITLE		
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE N/A		<b>DATE</b> 12/9/2014		

Sundry Number: 58693 API Well Number: 43013504130000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013504130000

API: 43013504130000 Well Name: UTE TRIBAL 12-7-4-2W

Location: 2093 FSL 0918 FWL QTR NWSW SEC 07 TWNP 040S RNG 020W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/13/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed?   Yes  No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well?   Yes   No
nature: Mandie Crozier Date: 12/9/2014

Sundry Number: 68327 API Well Number: 43013504130000

			FORM 9	
STATE OF UTAH			I OKW 3	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 12-7-4-2W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	OMPANY		9. API NUMBER: 43013504130000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		HONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2093 FSL 0918 FWL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NWSW Section:	HIP, RANGE, MERIDIAN: 07 Township: 04.0S Range: 02.0W Meridi	an: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
1/13/2016	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion:		7		
	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Bate.	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates.	depths, volumes, etc.	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.  Newfield proposes to extend the Application for Permit to Drill this well.  Approved by the  Unebenity including dates, depths, volumes, etc.  Approved by the  Oil, Gas and Mining				
			Date	
			By: Daggill	
NAME (PLEASE PRINT)	PHONE NUMBER			
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE N/A		<b>DATE</b> 12/7/2015		

Sundry Number: 68327 API Well Number: 43013504130000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013504130000

API: 43013504130000 Well Name: UTE TRIBAL 12-7-4-2W

Location: 2093 FSL 0918 FWL QTR NWSW SEC 07 TWNP 040S RNG 020W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/13/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

owing to a disconnect of come found to the approacher, which checked be verified.
• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes  No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?  Yes  No
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of the proposed well?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Have there been any changes to the access route including ownership, or rightof- way, which could affect to proposed location?</li> <li>Yes</li> <li>No</li> </ul>
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
<ul> <li>Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?</li> <li>Yes</li> <li>No</li> </ul>
• Is bonding still in place, which covers this proposed well? 🌘 Yes 🔘 No
nature: Mandie Crozier Date: 12/7/2015

Sig

Sundry Number: 76968 API Well Number: 43013504130000

			FORM 9	
STATE OF UTAH  DEPARTMENT OF NATURAL RESOURCES				
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: 20G0005609	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME:	
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: UTE TRIBAL 12-7-4-2W	
2. NAME OF OPERATOR: NEWFIELD PRODUCTION CO	DMPANY		9. API NUMBER: 43013504130000	
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT		PHONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: SOUTH MYTON BENCH	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2093 FSL 0918 FWL			COUNTY: DUCHESNE	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NWSW Section:	HP, RANGE, MERIDIAN: 07 Township: 04.0S Range: 02.0W Merid	ian: U	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
1/13/2017	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion:		7		
	☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	PLUG AND ABANDON	LI PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Nopel Suite	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show all	pertinent details including dates, o	depths, volumes, etc.	
I .	extend the Application for P		Approved by the	
			Webennbiero19012016	
			Oil, Gas and Mining	
			Date:	
			signature	
			By: Signature	
NAME (PLEASE PRINT)	PHONE NUMBEI	R TITLE		
Mandie Crozier	435 646-4825	Regulatory Tech		
SIGNATURE N/A		<b>DATE</b> 12/14/2016		

Sundry Number: 76968 API Well Number: 43013504130000



### The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

**Electronic Permitting System - Sundry Notices** 

### Request for Permit Extension Validation Well Number 43013504130000

API: 43013504130000 Well Name: UTE TRIBAL 12-7-4-2W

Location: 2093 FSL 0918 FWL QTR NWSW SEC 07 TWNP 040S RNG 020W MER U

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 1/13/2011

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated?  Yes  No
<ul> <li>Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?</li> <li>Yes</li> <li>No</li> </ul>
<ul> <li>Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well?</li> <li>Yes</li> <li>No</li> </ul>
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? ( Yes ( No
• Has the approved source of water for drilling changed? 🔘 Yes 🌘 No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?   Yes  No
• Is bonding still in place, which covers this proposed well?   Yes   No
unature: Mandie Crozier Date: 12/14/2016